

2025
Collection

SWISS KRONO
Superior

باركيه **سوبريور** يمنحك أنيقة و جودة أوروبية لا مثيل لها
بلمسات طبيعية تأسر القلب, اختر من مجموعة غنية من الألوان
و التصاميم ليناسب ذوقك.



Superior

exclusive laminate flooring

لا يوجد أي شيء يشغل مساحة في منزلك مثل الأرضية . الأرضية عنصر حاسم في التصميم الداخلي وتلعب دورًا رئيسيًا في مساعدتك على الشعور بأنك في منزلك المريح حقًا ! لذلك لا تترك أي شيء للصدفة عند اختيار الباركيه المناسب لمنزلك. يجمع باركيه سوور يور الجودة الممتازة مع عامل إحساس بالراحة لا يضاهي ذلك بفضل السدر الطبيعي للخشب يأتيك باركيه سوور يور بألوان دافئة و طبيعية ، وهيكل خشبي أصلي و سطح لطيف عند اللمس .. لا تتأخر و سارع باقتناء باركيه سوور يور الألماني الآن

Nothing takes up space in your home like the floor. The floor is a crucial component of interior design and plays a major role in helping you feel in a truly comfortable home! So you do not leave anything to chance when choosing the right parquet for your home. Thanks to the natural charm of wood, Super Your parquet combines excellent quality with an incomparable comfort factor Super Your Parquet comes in warm and natural colors, an original wooden structure and a pleasant surface to the touch .. Order German Super Your parquet now.


Surfaces



Landhausdielen (LHD)
1-Strip




2-Stab
2-Strip



3-Stab
3-Strip

193 mm 1376 mm

Structure



PR



WG



www.blauer-engel.de/uz176



EN 14041





PEFC

PEFC/0010 - 35 - 04



Made in Germany

التركيب



CLIC SYSTEM



تتيح تقنية clic
امكانية التركيب بكل
سهولة و بشكل سريع



SWISS KRONO


Superior

exclusive laminate flooring


الألوان



601



603




604




606



607




610




611



613



614



615



617



620



SWISS KRONO

Superior

exclusive laminate flooring

الألوان



621




622




624




625




628




629




630




635



636



637



638



بني فاتح
614



ميبيل غامق
625



رمادي غامق
617





Superior 625
exclusive laminate flooring






رمادي فاتح
611



رمادي فاتح
601



بيج فاتح
615





Superior 601
exclusive laminate flooring





جوز متوسط
613



رمادي فاتح
622



SWISS KRONO



Superior 622
exclusive laminate flooring



SWISS KRONO



Superior 613
exclusive laminate flooring



رمادي متوسط
624



رمادي متوسط
620



رمادي متوسط
610



Superior 610
exclusive laminate flooring



SWISS KRONO




Superior 620
exclusive laminate flooring






سندیان متوسط
621



زان متوسط
604



زان متوسط
603



Superior 603
exclusive laminate flooring



SWISS KRONO



Superior 604
exclusive laminate flooring



Superior 621
exclusive laminate flooring



بيج فاتح
623



بني غامق
607



بني فاتح
606



Superior 606
exclusive laminate flooring



SWISS KRONO

Superior 607


exclusive laminate flooring




Superior 630
exclusive laminate flooring



رمادي غامق
635



بني غامق
629



بني غامق
628




SWISS KRONO



Superior 628
exclusive laminate flooring








جوز غامق
638



رمادي غامق
637



بني غامق
636



Superior 636
exclusive laminate flooring



SWISS KRONO

Superior 637
exclusive laminate flooring



Superior 638
exclusive laminate flooring

Technical Datasheet

1. Product description

- 1.1. Format 1376 x 193 x 7 mm
 1.2. Packing 9 boards each pack = 2,390 m²

1.3. Technical description

- Surface Three-dimensional interlaced melamine resin
- Decor Melamine resin, printed decor
- Core layer HDF High Density Fiberboard
- Balance film Three-dimensional interlaced melamine resin

- 1.4. Installation Mechanical locking system
 Floating installation according to the installation description

- 1.5. Classification ISO 10874
 class 23 : heavy domestic use
 class 31 : moderate commercial use
 according EN 15468
 EN 14041 CE – Mark

- 1.6. Fire classification EN 13501
 C_n-s1 (Hardly inflammable ~ B1)

- 1.7. Emission E1 lower than 0,05 ppm

- 1.8. Slip resistance Technical class DS

- 1.9. Thermal conductivity
 according to DIN EN 12667 R= 0,056 [(m² * K)/W]



Standard				
	Characteristic	Requirements	Unit	Testmethod
1.	Sampling			EN 13329
2.	Thickness	7	mm	EN 13329
3.	Level of use	21 - 31		EN 13329
4.	Wear resistance	AC3		EN 13329
5.	Impact resistance	small Ball ≥ 10 mm big Ball ≥ 500 mm		EN 17368d annexe H
6.	Thickness swelling 24h	≤ 18	%	ISO 24336
7.	Resistance to staining	5,g. 1-2 4,g. 3		EN 438-2
8.	Internal bond	> 1,2	N/mm ²	EN 319
9.	Surface soundness	> 1,5	N/mm ²	EN 311
10.	Locking strength	FI 0,2 ≥ 1 Fs 0,2 ≥ 2	kN/m	ISO 24334
11.	Surface layer width	± 0,1	mm	EN 13329
12.	Surface layer length	± 0,3	mm	EN 13329
13.	Squareness	max 0,2	mm	EN 13329
14.	Surface layer straightness	< 0,3	mm/m	EN 13329
15.	Height difference between elements	max 0,15	mm	EN 13329
16.	Openings between elements	max 0,2	mm	EN 13329
17.	Formaldehyd content	<0.05	ppm	EN 717-1

Superior
 exclusive laminate flooring

Erstellt (Datum, Unterschrift) QS	Geprüft und Freigegeben (Datum, Unterschrift) 01.07.2023 N. Bubles	
---	--	--